

Google

critical code function

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 22,200,000 for **critical code function**. (0.18 seconds)**Critical section - Wikipedia, the free encyclopedia**

However the **functions** called may jump to kernel-space **code** to register the user-space object with the kernel. Example **Code For Critical Sections** with POSIX ...
 en.wikipedia.org/wiki/**Critical_section** - 27k - [Cached](#) - [Similar pages](#)

Critical Code Studies

Code "functions, typically, without being observed, perhaps even as representative of ...
Critical Code Studies follows the work of **Critical Legal Studies**, ...
 www.electronicbookreview.com/thread/electropoetics/codology - 137k -
[Cached](#) - [Similar pages](#)

Apparatus and method for improving performance of critical code ...

A method for improving the performance of **critical code** execution, comprising: extracting one or more **critical functions** from first source files; ...
 www.patentstorm.us/patents/6698015-claims.html - 23k - [Cached](#) - [Similar pages](#)

[PDF] The Power of 10: Rules for Developing Safety-Critical CodeFile Format: PDF/Adobe Acrobat - [View as HTML](#)

The choice of language for safety-**critical code** is in itself a key consideration ... Typically, this means no more than about 60 lines of **code per function**. ...
 www.eecs.umich.edu/~imarkov/10rules.pdf - [Similar pages](#)

Code Speed Performance Guidelines: Accelerating Critical Code

Accelerating **Critical Code**. For **code** that is called frequently by your application, ...
 Removing this one **function** call can improve performance in any loop, ...
 developer.apple.com/documentation/Performance/
 Conceptual/**CodeSpeed/Articles/CriticalCode**.html - 23k - [Cached](#) - [Similar pages](#)

Ten Rules for Developing Safety-Critical Code - The Yourdon Report ...

Typically this means no more than about 60 lines of **code per function**. ... of programmers who are developing ever more complex safety-**critical** systems. ...
 www.yourdonreport.com/index.php/2006/06/20/ten-rules-for-developing-safety-critical-code/ - 49k - [Cached](#) - [Similar pages](#)

Rules for Developing Safety-Critical Code | Lambda the Ultimate

Rule 4: Restrict each **function's** size to around 60 lines of source **code**. When dealing with **Safety-Critical Code**, the question shouldn't be whether it ...
 lambda-the-ultimate.org/node/1579 - 68k - [Cached](#) - [Similar pages](#)

Critical code section

A **critical code** section is a piece of software that must be executed atomically to ...
Functions that block a driver such as SV_WAIT(D3) or sleep(D3) and ...
 ou800doc.caldera.com/en/HDK_concepts/ddT_critical_code.html - 9k -
[Cached](#) - [Similar pages](#)

Protecting critical code

Consequently, the locking **functions** listed in "Mutual exclusion locking functions" must be used to provide mutual exclusion access to **critical code**. ...
 ou800doc.caldera.com/en/HDK_oddidi/mpx_locks.html - 8k - [Cached](#) - [Similar pages](#)

Tips for Improving Time-Critical Code

When writing time-**critical code**, you should be aware of the overhead inherent ... use helper **functions** to interface between your **code** and the default heap. ...

http://www.google.com/search?hl=en&q=critical+code+function

11/21/2007

msdn2.microsoft.com/en-us/library/eye126ky(VS.71).aspx - 24k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

critical code function

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 1,650,000 for **nested loop function**. (0.17 seconds)**The power of nested loops - ActionScript.org Flash, Flex and ...**

Because loop2 doesn't call any other **functions** or have any **nested-loops** inside itself it just **loops** until it's completed as many iterations as it was told ...

www.actionscript.org/resources/articles/5/1/The-power-of-nested-loops/Page1.html - 56k -

[Cached](#) - [Similar pages](#)

The power of nested loops - ActionScript.org Flash, Flex and ...

The power of **nested loops**. By Neil Webb | Published 09/9/2005 | Intermediate ... We had two decks of cards, so the **loop** in **function** 1 had to iterate twice. ...

www.actionscript.org/resources/articles/5/2/The-power-of-nested-loops/Page2.html - 59k -

[Cached](#) - [Similar pages](#)

nested loop function - ASP.NET Forums

nested loop function. Last post 07-30-2007 2:39 PM by ndinakar. 2 replies. Sort Posts:

Oldest to newest, Newest to oldest ...

forums.asp.net/p/1139937/1831095.aspx - 47k - [Cached](#) - [Similar pages](#)

[PDF] DIV, FLOOR, CEIL, MOD AND STEP FUNCTIONS IN NESTED LOOP PROGRAMS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

We show that the class of **nested loop** programs which contains non-linear **functions** integer division, modulo, ceil and floor in its expressions ...

ptolemy.eecs.berkeley.edu/~kienhuis/ftp/vlsiaiii.pdf - [Similar pages](#)

R help archive: [R] vectorized nested loop: apply a function tha

This message : [Message body]; Next message : Jose Quesada: "[R] [fixed] vectorized **nested loop**: apply a **function** that takes two rows"; Previous message ...

tolstoy.newcastle.edu.au/R/e2/help/07/01/9016.html - 8k - [Cached](#) - [Similar pages](#)

R help archive: [R] [fixed] vectorized nested loop: apply a func

In reply to Jose Quesada: "[R] vectorized **nested loop**: apply a **function** that takes two rows"; Next in thread : Charles C. Berry: "Re: [R] [fixed] vectorized ...

tolstoy.newcastle.edu.au/R/e2/help/07/01/9017.html - 9k - [Cached](#) - [Similar pages](#)

Nested Loops and Assignment 5

For more on **nested loops** read pages 215-220 in A Computer Science Tapestry. ... Each **function** takes one parameter, the time that the car either accelerates ...

taumoda.com/web/class/day25.html - 10k - [Cached](#) - [Similar pages](#)

Simple string parsing in nested loops - The Code Project - String

You can't use this **function** in **nested loops** as the **function** strtok is using a static variable to hold some passing information, as you can see in the help ...

www.codeproject.com/string/StrTok.asp - 31k - [Cached](#) - [Similar pages](#)

JavaScript/DHTML Tutorial

Below is a script that shows the values of i and j as a pair of **nested loops** executes. <script type="text/javascript"> **function** SeeLoops() { for (i=1; i<=5; ...

msconline.maconstate.edu/tutorials/JSDHTML/JSDHTML05/jsdhtml05-05.htm - 7k -

[Cached](#) - [Similar pages](#)

Breaking out of Nested For Loops (Python) - python

The **function** version is nice, except that it would require a different **function** for each **nested loop** (unless your **loops** were similar enough that you could ...

www.daniweb.com/code/snippet556.html - 26k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

invok* function nested loop

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 985 for invok* function nested loop. (0.38 seconds)

[Introduction to the Optimizer](#)

In a **nested loop** join, for every row in the outer row set, the inner row set is ... The main **function** of the plan generator is to try out different possible ...

download.oracle.com/docs/cd/B10501_01/server.920/a96533/optimops.htm - 206k -

[Cached](#) - [Similar pages](#)

[Information Sciences : The use of Hints in SQL-Nested query ...](#)

The Hint is placed in the inner **loop** of a NOT IN **nested** query to **invoke** a hash The Heuristics optimizer's main **function** is to reduce the size of the ...

linkinghub.elsevier.com/retrieve/pii/S0020025506003720 - [Similar pages](#)

[Creating a Console Application that Has a Basic PSHost Implementation](#)

The host implementation of the PrivateData.get **function** should always retrieve ... A

nested prompt **loop** is a cycle of prompt, input, and execute operations. ...

msdn.microsoft.com/library/en-us/PowerShell_Prog/html/68dc3c60-4c51-4d74-bbbd-

6220180ce7d9.asp - 44k - [Cached](#) - [Similar pages](#)

[NAME subroutine function - search.cpan.org](#)

You can even call a **function** indirectly using a variable containing its name or a but it disallows an explicit return out of a deeply **nested loop**, ...

search.cpan.org/perl/doc?perlsub - 70k - [Cached](#) - [Similar pages](#)

[Optimization of queries using nested indices](#)

Function String. i Veh,0,o / .]----. l. Location]String. Manufacturer according to the

nested loop method. This is executed for all objects that are ...

www.springerlink.com/index/7438581672671106.pdf - [Similar pages](#)

[A New Join Algorithm for Cluster-Based Database Systems](#)

three, **nested-loop** and hashing are commonly used for join. processing. The recv, send, and broadcast **functions** are based. on the MPI **functions**. ...

ieeexplore.ieee.org/iel5/10707/33797/01609979.pdf?arnumber=1609979 - [Similar pages](#)

[\[PDF\] Oracle Instance Tuning Techniques](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Missing **function**-based. indexes are a common source of suboptimal SQL ... **Nested loop**

joins always **invoke** an index and they are never parallelized. ...

media.techtarget.com/searchOracle/downloads/march_awr_excerpt_burleson_1.pdf -

[Similar pages](#)

[Introduction to the Optimizer](#)

Step 2 performs the **nested loops** operation, accepting row sources from steps ... Such parent steps include sorts, sort merge joins, and aggregate **functions**. ...

download-uk.oracle.com/docs/cd/A91202_01/901_doc/server.901/a87503/optimops.htm -

223k - [Cached](#) - [Similar pages](#)

[PGI Workstation User's Guide - 3 Optimization Features](#)

This section describes several -Mpgflag options that **invoke** additional ... This enables the options for **nested loop** transformation and various other ...

www.tacc.utexas.edu/services/userguides/pgi/pgiws_ug/pgi32u04.htm - 62k -

[Cached](#) - [Similar pages](#)

[Suggested Syllabus for Media Comp in Java](#)

How do you use a **nested loop**? How to convert from a single for loop to a **nested**

http://www.google.com/search?hl=en&q=invok*+function+nested+loop

loop? Topics: Pulling out a common **function** and putting it in a method. ...
doc.cs.vt.edu/syllabus/cache/www_cc_gatech_edu/81-274 - 34k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

invok* function critical

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 1,640 for invok* function critical. (0.36 seconds)

Style (or otherwise?) question: creating temporary to invoke ...

question: creating temporary to **invoke function**. Get answers to your questions in our C++ ... I also put the **critical** member variables to an invalid value ...
www.thescripts.com/forum/thread131227.html - 83k - [Cached](#) - [Similar pages](#)

Analyzing the **function** of meta-oriented **critical** comments in ...

This study examines the **function** of Japanese meta-oriented **critical** Sometimes, the act of being videorecorded triggers exchanges that **invoke** humorous ...
linkinghub.elsevier.com/retrieve/pii/S0378216606001081 - [Similar pages](#)

SANS Institute - SANS Top-20 Internet Security Attack Targets ...

We have listed only **critical** vulnerabilities from the past year or so. Windows libraries are modules that contain **functions** and data that can be used ...
www.sans.org/top20/ - 205k - [Cached](#) - [Similar pages](#)

App Lockdown: Defend Your Apps and **Critical** User Info with ...

If you prefer to use P/Invoke from C# or Visual Basic ® These **functions** can be used to prompt the user for Windows ® domain credentials or generic ...
msdn.microsoft.com/msdnmag/issues/04/11/applockdown/default.aspx - 85k - [Cached](#) - [Similar pages](#)

A **CRITICAL** GUIDE TO THE SECOND AMENDMENT

Tennessee Law Review; A **Critical** Guide to the Second Amendment, ... Although the ideal and **function** of the jury are based on the kinds of notions of ...
www.guncite.com/journals/reycrit.html - 211k - [Cached](#) - [Similar pages](#)

[PDF] **Critical Reasoning: A User's Manual**

File Format: PDF/Adobe Acrobat - [View as HTML](#)
1 Basic Concepts of **Critical Reasoning**. 5. 1.1 Basic Concepts 25.1.1 Stereotypes, Prejudice, and **Critical Reasoning** 495 ...
www.ou.edu/ouphil/faculty/chris/crmscreen.pdf - [Similar pages](#)

microsoft.public.dotnet.framework.interop: Re: P/Invoke & Callback ...

Re: P/Invoke & Callback **functions** ... to do this would be to create a shim ... If this unmanaged code is so **critical** to your application, ... magled export ...
www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.interop/2004-04/0025.html - 10k - [Cached](#) - [Similar pages](#)

Bug 516 - oql.**Function.FunctionDescriptor.Invoke**: Vereinfachen?

Function.FunctionDescriptor.Invoke: Vereinfachen? ... Severity: blocker, **critical**, major, normal, minor, trivial, enhancement ...
www.openquasar.de/cgi/bugzilla/show_bug.cgi?id=516 - 23k - [Cached](#) - [Similar pages](#)

Dreaming: **Function** and Meaning

However, one **critical** difference between these two types of neurons is that is no need to **invoke** repression to account for the forgetting of dreams." ...
www.lucidity.com/LD8DFM.html - 61k - [Cached](#) - [Similar pages](#)

Norman N. Holland, The **Critical** I

By contrast, the three parts of The **Critical** I focus on the people involved in literature: audience, critics, and theorists. Using the response of three ...
www.clas.ufl.edu/users/nnh/criti.htm - 250k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

invok* function critical code

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 1,510 for invok* function critical code. (0.39 seconds)

High Availability: Keep Your **Code** Running with the Reliability ...NET Framework 1.x, aP/**Invoke** declaration for this **function** would typically ... **Critical**regions are used to denote that the **code** running within the region ...

msdn.microsoft.com/msdnmag/issues/05/10/Reliability/default.aspx - 86k -

[Cached](#) - [Similar pages](#)App Lockdown: Defend Your Apps and **Critical** User Info with ...To provide a consistent user experience and write less security-related **code**, you shoulduse the CredUIPromptForCredentials **function** for GUI applications, ...

msdn.microsoft.com/msdnmag/issues/04/11/applockdown/default.aspx - 85k -

[Cached](#) - [Similar pages](#)[PDF] Life, Death, and the **Critical** Transition: Finding Liveness Bugs in ...File Format: PDF/Adobe Acrobat - [View as HTML](#)ner when running the **code** live: competing threads de-. termine the next pending event byacquiring a lock and. **invoke** the appropriate handler. A buggy M ...mace.ucsd.edu/papers/MaceMC_TR.pdf - [Similar pages](#)Style (or otherwise?) question: creating temporary to **invoke** ...question: creating temporary to **invoke function**. Get answers to your questions in ourC++ ... I also put the **critical** member variables to an invalid value ...www.thescripts.com/forum/thread131227.html - 83k - [Cached](#) - [Similar pages](#)**Function** - 32BitSoftAll necessary data conversions and external **function** calls are done seamlessly by thexFunction library. Using xFunction, you may **invoke** any operating ...www.32bitsoft.com/software/**function**.htm - 16k - [Cached](#) - [Similar pages](#)SANS Institute - SANS Top-20 Internet Security Attack Targets ...The most **critical** issues are the ones that lead to remote **code** execution Windowslibraries are modules that contain **functions** and data that can be used ...www.sans.org/top20/ - 205k - [Cached](#) - [Similar pages](#)C/C++ **Function** styles for returning data as well as return **code** ...Often a **function** has to return data as well as a return **code**, ... There's rarely need to applyreturn **codes** at such low level, except for **critical** events, ...

www.gamedev.net/community/forums/topic.asp?topic_id=465810 - 83k -

[Cached](#) - [Similar pages](#)Performance improvement of **critical code** execution - Patent 6708330The apparatus according to claim 22, wherein the **critical functions code** All objectsloaded automatically as a result of **invoking** dlopen() on the ...www.patentmonkey.com/PM/patentid/6708330.aspx - 182k - [Cached](#) - [Similar pages](#)Win32 Hyperlink Control - The **Code** Project - Miscellaneous ControlsBut what happens when the **code** within the **critical** section throws an exception? ... So,what we need to do is to **invoke the functions** for acquiring and ...

www.codeproject.com/miscctrl/Win32HyperlinkControl.asp?

df=100&forumid=210508&exp=0&select=1207106 - 40k - [Cached](#) - [Similar pages](#)[PDF] **Source Code** Review of the Diebold Voting SystemFile Format: PDF/Adobe Acrobat - [View as HTML](#)It is based on a study of the system's source **code** that we conducted at the **function**:http://www.google.com/search?hl=en&q=invok*+function+critical+code

they are used to read and write AV-TSX memory cards. ...

www.sos.ca.gov/elections/voting_systems/ttbr/diebold-source-public-jul29.pdf -

[Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)